

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L8	0	((circuit with board) or pcb) same ((select\$5 or chang\$5 or modif\$6) with (operat\$5 or characteristic or speed or rate) with response)) and ((open with circuit\$4) and (wired with nor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/15 17:40
L9	0	(backplane and (board or pcb) and (indicat\$5 with signal\$4) and (operat\$5 or characteristic) and (speed or rate)) and walton and ((open with circuit\$4) and (wired with nor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/15 17:41
L10	0	(backplane and (board or pcb) and (indicat\$5 with signal\$4) and (operat\$5 or characteristic) and (speed or rate)) and @ad<"20030626" and (710/15. ccls. or 710/33.ccls. or 710/36. ccls. or 710/105.ccls. or 714/5. ccls. or 714/43.ccls. or 714/47. ccls.) and ((open with circuit\$4) and (wired with nor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/15 17:41
L11	0	((circuit with board) or pcb) same (compatib\$4) same (operat\$5 or characteristic) same (modif\$5 or chang\$5)) and ((open with circuit\$4) and (wired with nor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/15 17:41
L12	0	((circuit with board) or pcb) same (compatib\$4) same (operat\$5 or characteristic or parameter or speed or rate) same (modif\$5 or chang\$5)) and @ad<"20030626" and ((open with circuit\$4) and (wired with nor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/15 17:41
L13	0	((circuit with board) or pcb) same (compatib\$4) same ((operat\$5 or characteristic or parameter or speed or rate) with (modif\$5 or chang\$5 or alter\$6 or compatib\$5))) and @ad<"20030626" and ((open with circuit\$4) and (wired with nor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/15 17:41
L14	0	((circuit with board) or pcb) same ((select\$5 or chang\$5 or modif\$6) with (operat\$5 or characteristic or speed or rate) with response)) and ((open with circuit\$4) and (wired with nor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/15 17:41

L15	0	(backplane same ((circuit with board) or pcb) same ((select\$5 or chang\$5 or modif\$6) with (operat\$5 or characteristic or speed or rate) with response)) and ((open with circuit\$4) and (wired with nor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/15 17:41
L16	0	((((printed with circuit with board) or pcb or board or circuit) with (characteristic or speed) with compatib\$6 with (choos\$5 or select\$5 or modif\$6)) and @ad<"20030626" and ((open with circuit\$4) and (wired with nor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/15 17:41
L17	0	((((printed with circuit with board) or pcb or board or circuit) with (characteristic or speed or rate or parameter) with compatib\$6 with (choos\$5 or select\$5 or modif\$6)) and @ad<"20030626" and ((open with circuit\$4) and (wired with nor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/15 17:42
L18	0	(backplane and (board or pcb) and (indicat\$5 with signal\$4) and ((operat\$5 or characteristic) same (speed or rate))) and @ad<"20030626" and (710/15. ccls. or 710/33.ccls. or 710/36. ccls. or 710/105.ccls. or 714/5. ccls. or 714/43.ccls. or 714/47. ccls.) and ((open with circuit\$4) and (wired with nor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/15 17:42
L19	0	((((circuit with board) or pcb) same (compatib\$4) same ((operat\$5 or characteristic or parameter or speed or rate) with (modif\$5 or chang\$5))) and @ad<"20030626" and ((open with circuit\$4) and (wired with nor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/15 17:42
S1	0	(backplane same conductor same (board or pcb) same (indicat\$5 with signal\$4) same (operat\$5 or characteristic) same compatib\$5 same (speed or rate))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 18:38
S2	0	(backplane same (board or pcb) same (indicat\$5 with signal\$4) same (operat\$5 or characteristic) same compatib\$5 same (speed or rate))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 15:23

S3	6	(backplane same (board or pcb) same (indicat\$5 with signal\$4) same (operat\$5 or characteristic) same (speed or rate))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 15:24
S4	6	(backplane same (board or pcb) same (indicat\$5 with signal\$4) same (operat\$5 or characteristic) same (speed or rate)) and @ad<"20030626"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 15:41
S5	5	(backplane and (board or pcb) and (indicat\$5 with signal\$4) and (operat\$5 or characteristic) and (speed or rate)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 15:37
S6	0	(backplane and (board or pcb) and (indicat\$5 with signal\$4) and (operat\$5 or characteristic) and (speed or rate)).clm. and walton	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 15:37
S7	42	(backplane and (board or pcb) and (indicat\$5 with signal\$4) and (operat\$5 or characteristic) and (speed or rate)) and walton	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/15 17:40
S8	5	(backplane and (board or pcb) and (indicat\$5 with signal\$4) and (operat\$5 or characteristic) and (speed or rate)).clm. and @ad<"20030626"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 15:37
S9	0	(backplane and (speed or rate)).clm. and walton	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 15:37
S10	5	(backplane and (board or pcb) and (indicat\$5 with signal\$4) and (operat\$5 or characteristic) and (speed or rate)) and walton and (710/15.ccls. or 710/33.ccls. or 710/36.ccls. or 710/105.ccls. or 714/5.ccls. or 714/43.ccls. or 714/47.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 15:41
S11	60	(backplane and (board or pcb) and (indicat\$5 with signal\$4) and (operat\$5 or characteristic) and (speed or rate)) and @ad<"20030626" and (710/15.ccls. or 710/33.ccls. or 710/36.ccls. or 710/105.ccls. or 714/5.ccls. or 714/43.ccls. or 714/47.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/15 17:41

S12	44	((backplane and (board or pcb) and (indicat\$5 with signal\$4) and ((operat\$5 or characteristic) same (speed or rate))) and @ad<"20030626" and (710/15.ccls. or 710/33.ccls. or 710/36.ccls. or 710/105.ccls. or 714/5.ccls. or 714/43.ccls. or 714/47.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/15 17:42
S13	1	((backplane same (board or pcb) same (indicat\$5 with signal\$4)) and ((operat\$5 or characteristic) same (speed or rate))) and @ad<"20030626" and (710/15.ccls. or 710/33.ccls. or 710/36.ccls. or 710/105.ccls. or 714/5.ccls. or 714/43.ccls. or 714/47.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 16:07
S15	29	(motherboard with backplane with (equal or "same" or equivalent))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 17:55
S16	26	(motherboard with backplane with (equal or "same" or equivalent)) and @ad<"20030626"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 18:38
S17	1	(conductor same ((circuit with board) or pcb) same (compatib\$4) same (operat\$5 or characteristic) same (modif\$5 or chang\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 18:41
S18	2	(conductor same ((circuit with board) or pcb) same (compatib\$4) same (operat\$5 or characteristic or parameter or speed or rate) same (modif\$5 or chang\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 18:41
S19	80	((((circuit with board) or pcb) same (compatib\$4) same (operat\$5 or characteristic) same (modif\$5 or chang\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/15 17:41
S20	60	((((circuit with board) or pcb) same (compatib\$4) same (operat\$5 or characteristic) same (modif\$5 or chang\$5)) and @ad<"20030626"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 18:41

S21	85	((circuit with board) or pcb) same (compatib\$4) same (operat\$5 or characteristic or parameter or speed or rate) same (modif\$5 or chang\$5)) and @ad<"20030626"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/15 17:41
S22	40	((circuit with board) or pcb) same (compatib\$4) same ((operat\$5 or characteristic or parameter or speed or rate) with (modif\$5 or chang\$5))) and @ad<"20030626"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/15 17:42
S23	1	((circuit with board) or pcb) same decod\$4 same (compatib\$4) same ((operat\$5 or characteristic or parameter or speed or rate) with (modif\$5 or chang\$5))) and @ad<"20030626"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 18:43
S24	5	((circuit with board) or pcb) same decod\$4 same (compatib\$4) same ((operat\$5 or characteristic or parameter or speed or rate) with (modif\$5 or chang\$5 or alter\$6 or compatib\$5))) and @ad<"20030626"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 18:45
S25	414	((circuit with board) or pcb) same (compatib\$4) same ((operat\$5 or characteristic or parameter or speed or rate) with (modif\$5 or chang\$5 or alter\$6 or compatib\$5))) and @ad<"20030626"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/15 17:41
S26	159	((circuit with board) or pcb) same (compatib\$4) same ((operat\$5 or characteristic or parameter or speed or rate) near3 (modif\$5 or chang\$5 or alter\$6 or compatib\$5))) and @ad<"20030626"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 18:45
S27	26	((circuit with board) or pcb) same (compatib\$4) same ((operat\$5 or characteristic or parameter or speed or rate) with (select\$5 or choos\$5) with (modif\$5 or chang\$5 or alter\$6 or compatib\$5))) and @ad<"20030626"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 18:46
S28	52	((circuit with board) or pcb) same (compatib\$4) same ((operat\$5 or characteristic or parameter or speed or rate) near (modif\$5 or chang\$5 or alter\$6 or compatib\$5))) and @ad<"20030626"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 18:51

S29	0	((circuit with board) or pcb) same (compatib\$4) same ((operat\$5 or characteristic or parameter or speed or rate) near (modif\$5 or chang\$5 or alter\$6 or compatib\$5))) and @ad<"20030626" and (710/15.ccls. or 710/33.ccls. or 710/36.ccls. or 710/105.ccls. or 714/5.ccls. or 714/43.ccls. or 714/47.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 18:52
S30	3	((circuit with board) or pcb) same (compatib\$4) same ((operat\$5 or characteristic or parameter or speed or rate) near (modif\$5 or chang\$5 or alter\$6 or compatib\$5))) and @ad<"20030626" and ("710"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 19:05
S31	0	(backplane same ((circuit with board) or pcb) same ((select\$5 or chang\$5 or modif\$6) with (operat\$5 or characteristic or speed or rate) with response))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/15 17:41
S32	1	(motherboard same ((circuit with board) or pcb) same ((select\$5 or chang\$5 or modif\$6) with (operat\$5 or characteristic or speed or rate) with response))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 19:08
S33	392	((circuit with board) or pcb) same ((select\$5 or chang\$5 or modif\$6) with (operat\$5 or characteristic or speed or rate) with response))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/15 17:41
S34	245	((circuit with board) or pcb) same ((select\$5) with (operat\$5 or characteristic or speed or rate) with response))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 19:08
S35	224	((circuit with board) or pcb) same ((select\$5) with (operat\$5 or characteristic or speed or rate) with response)) and @ad<"20030626"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 19:08
S36	16	((circuit with board) or pcb) same ((select\$5) with (operat\$5 or characteristic or speed or rate) with response) same decod\$4) and @ad<"20030626"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 19:12

S37	1	((circuit with board) or pcb) same ((select\$5) with (operat\$5 or characteristic or speed or rate) with response) same (motherboard or backplane)) and @ad<"20030626"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 19:11
S38	18	((circuit with board) or pcb) same ((select\$5 or choos\$4 or determin\$4 or modif\$6) with (operat\$5 or characteristic or speed or rate) with response) same decod\$4) and @ad<"20030626"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 19:21
S39	27	(printed same circuit same board same select\$5 same (characteristic or speed or rate) same compatib\$6) and @ad<"20030626"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 19:26
S40	0	(printed same circuit same board same select\$5 same (characteristic or speed or rate) same compatib\$6 same decod\$4) and @ad<"20030626"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 19:22
S41	31	((printed with circuit with board) or pcb) same select\$5 same (characteristic or speed or rate) same compatib\$6) and @ad<"20030626"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 19:26
S42	4	((printed with circuit with board) or pcb) same select\$5 same (characteristic or speed or rate) same compatib\$6 same respon\$5) and @ad<"20030626"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 19:28
S43	0	((printed with circuit with board) or pcb) same choos\$5 same (characteristic or speed or rate) same compatib\$6 same respon\$5) and @ad<"20030626"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 19:29
S44	12	((printed with circuit with board) or pcb) same (characteristic or speed or rate) same compatib\$6 same respon\$5) and @ad<"20030626"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 19:31
S45	14	((printed with circuit with board) or pcb) same (characteristic or speed or rate or parameter) same compatib\$6 same respon\$5) and @ad<"20030626"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 19:34

S46	322	((((printed with circuit with board) or pcb) same (characteristic or speed or rate or parameter) same compatib\$6) and @ad<"20030626"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 19:34
S47	2	((((printed with circuit with board) or pcb) with (characteristic or speed or rate or parameter) with compatib\$6 with (choos\$5 or select\$5 or modif\$6)) and @ad<"20030626"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 19:35
S48	179	((((printed with circuit with board) or pcb or board or circuit) with (characteristic or speed or rate or parameter) with compatib\$6 with (choos\$5 or select\$5 or modif\$6)) and @ad<"20030626"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/15 17:42
S49	122	((((printed with circuit with board) or pcb or board or circuit) with (characteristic or speed) with compatib\$6 with (choos\$5 or select\$5 or modif\$6)) and @ad<"20030626"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/15 17:41
S50	12	((((printed with circuit with board) or pcb or board or circuit) with (characteristic or speed) with compatib\$6 with (choos\$5 or select\$5 or modif\$6) with respon\$5) and @ad<"20030626"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 19:37
S51	18	((((printed with circuit with board) or pcb or board or circuit) with (characteristic or speed or rate or parameter) with compatib\$6 with (choos\$5 or select\$5 or modif\$6) with respon\$5) and @ad<"20030626"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 19:42
S58	4	09/769799 and (automatic\$5 or ((high\$4 or fast\$4) with (speed or rate)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/15 16:16